Maximum acceptable

# OIV-MA-C1-O1 Maximum acceptable limits of various substances caontained in wine (2019 issue)

Citric acid:	1 g/L
Volatile acidity:	20 milliequivalents/L The volatile acidity of various specially fortified old wines (wines subject to special legislation and controlled by the government) may exceed this limit.
Arsenic:	0.2 mg/L
Boron:	80 mg/L (expressed as boric acid)
Bromine:	1 mg/L (limit exceeded by way of exception in wines from certain vineyards with a brackish subsoil).
Cadmium:	0.01 mg/L
Copper: (OIV-OENO 434-2011)	1 mg/L 2 mg/L for liqueur wines produced from unfermented or slightly fermented grape must
Diethylene glycol:	🛛 10 mg/L, to the quantification limit
Malvidol diglucoside:	15 mg/L (determined by the quantitative method diglucoside described in the Compendium)
Silver	< 0.1 mg/L

## COMPENDIUM OF INTERNATIONAL METHODS OF WINE AND MUST ANALYSIS

# Maximum acceptable

Total sulfur dioxide at the t	time of sale to the consumer: (oeno 9/98)
	<ul> <li>150 mg/L for red wines containing a maximum of 4 g/L of reducing substances.</li> <li>200 mg/L for white and rosé wines containing a maximum of 4 g/L of reducing substances.</li> <li>300 mg/L: red, rosé and white wines containing more than 4 g/L of reducing substances.</li> <li>400 mg/L: in exceptional cases some sweet white wines.</li> </ul>
Ethanediol /Ethylene glycol:	п 10 mg/L
Fluoride: (OENO 8/91)	1 mg/L except for wines coming from vineyards treated in conformity with national law, with cryolite in which case, the level of fluoride must not exceed 3 mg/L.
Methanol: (OENO 19/2004)	400 mg/L for red wines 250 mg/L for white and rosé wines
Ochratoxin A : (CST 1/2002)	$2\mu g/L$ (for wines obtained as from the 2005 harvest)
Lead: (OIV-OENO 638-2019)	0.10 mg/L for wine, produced starting from the 2019 harvest year 0.15 mg/L for liqueur wines, produced starting from the 2019 harvest year[1]

Propan-1,2-diol/propyleneStill wines : = 150 mg/LglycolSparkling wines : = 300 mg/L(OENO 20/2003)	
---	--

#### COMPENDIUM OF INTERNATIONAL METHODS OF WINE AND MUST ANALYSIS

## Maximum acceptable

Excess sodium: 80 m (OENO 09/2007)	ng/L	
Sulfates: (expressed as potassium sulfate)	- for wines which have undergone a	1.5 g/L
	<ul><li>for wines with added</li><li>concentrated musts</li><li>for naturally sweet wines</li></ul>	2.0 g/L
	<ul> <li>for wines obtained under a film</li> <li>"sous voile"</li> </ul>	2.5 g/L

[1] For liqueur wines subject to extended periods of aging, the applicable limit is that in force at the time of their production.

5 mg/L

Zinc